

ST JOHN'S UNIVERSITY OF TANZANIA
SCHOOL OF NURSING
DIPLOMA IN MEDICAL LABORATORY TECHNOLOGY
PROVISIONAL UNIVERSITY EXAMINATION RESULTS
FIRST YEAR FIRST SEMESTER
2019/2020. 31/03/2020

SN	NACTE REG NO.	EXAM NO.	MLT 04101	MLT04102	MLT04103	MLT04104	MLT04105	MLT04106	SEMESTER GPA	REMARKS
1	NS0825/0048/2015	MLS4SE1/STJUT/20/1	A	A	A	B	A	A	3.8	PASS
2	NS4818/0141/2015	MLS4SE1/STJUT/20/2	A	B	B	C	C	B	2.8	PASS
3	NS1350/0004/2016	MLS4SE1/STJUT/20/3	B	B	C	C	B	B	2.7	PASS
4	NS0380/0001/2016	MLS4SE1/STJUT/20/28	B	B	B	C	B	C	2.7	PASS
5	NS3048/0002/2016	MLS4SE1/STJUT/20/4	B	A	A	B	B	A	3.5	PASS
6	NS0921/0096/2011	MLS4SE1/STJUT/20/6	A	A	A	B	A	B	3.7	PASS
7	NS4908/0048/2016	MLS4SE1/STJUT/20/5	F	F	F	F	F	F	NA	INCOMPLETE CA- REPEAT SEMESTER
8	NS3214/0025/2016	MLS4SE1/STJUT/20/7	A	B	B	B	B	B	3.1	PASS
9	NS4631/0040/2016	MLS4SE1/STJUT/20/8	A	A	A	C	B	B	3.4	PASS
10	NS5333/0004/2016	MLS4SE1/STJUT/20/9	B	B	C	B	B	B	2.8	PASS
11	NS0245/0005/2016	MLS4SE1/STJUT/20/10	B	B	B	C	B	B	2.8	PASS
12	NS0434/0005/2015	MLS4SE1/STJUT/20/11	A	A	A	B	B	B	3.5	PASS
13	NS0260/0003/2016	MLS4SE1/STJUT/20/12	B	B	C	C	B	B	2.7	PASS
14	NS1071/0011/2016	MLS4SE1/STJUT/20/13	B	B	B	C	C	B	2.7	PASS
15	NS2445/0001/2018	MLS4SE1/STJUT/20/14	B	A	A	C	B	B	3.2	PASS
16	NS5391/0002/2018	MLS4SE1/STJUT/20/15	B	A	A	B	A	B	3.5	PASS
17	NS0896/0011/2016	MLS4SE1/STJUT/20/16	B	A	B	C	C	B	2.9	PASS
18	NS3491/0007/2016	MLS4SE1/STJUT/20/17	B	B	B	C	C	C	2.5	SUPP- MLT04106
19	NS3416/0046/2016	MLS4SE1/STJUT/20/18	A	B	B	B	B	B	3.1	PASS
20	NS5191/0001/2016	MLS4SE1/STJUT/20/19	B	A	B	C	B	B	3.1	PASS
21	NS0367/0033/2016	MLS4SE1/STJUT/20/20	B	A	B	C	B	B	3.1	PASS
22	NS4193/0023/2018	MLS4SE1/STJUT/20/21	F	F	F	F	F	F	NA	INCOMPLETE CA- REPEAT SEMESTER
23	NS3634/0090/2018	MLS4SE1/STJUT/20/22	B	B	C	F	C	D	NA	SUPP- MLT04106, FAILED CA REPEAT - MLT04104
24	NS0385/0017/2015	MLS4SE1/STJUT/20/23	A	B	B	C	B	B	3.0	PASS
25	NS4884/0006/2015	MLS4SE1/STJUT/20/24	C	C	C	F	C	C	NA	SUPP- MLT04106, FAILED CA REPEAT- MLT04104
26	NS0289/0020/2016	MLS4SE1/STJUT/20/25	B	A	B	B	B	B	3.2	PASS
27	NS2180/0013/2016	MLS4SE1/STJUT/20/27	B	B	B	B	F	F	NA	INCOMPLETE SE - SPECIAL SE MLT04105& MLT04106
28	NS0531/0008/2016	MLS4SE1/STJUT/20/26	B	B	B	C	B	C	2.7	PASS
29	NS3037/0027/2014	MLS4SE1/STJUT/20/30	F	B	F	F	F	F	NA	INCOMPLETE SE - SPECIAL SE ALL MODULES

ST JOHN'S UNIVERSITY OF TANZANIA
SCHOOL OF NURSING
DIPLOMA IN MEDICAL LABORATORY TECHNOLOGY
PROVISIONAL UNIVERSITY EXAMINATION RESULTS
FIRST YEAR FIRST SEMESTER
2019/2020. 31/03/2020

SN	NACTE REG NO.	EXAM NO.	MLT 04101	MLT04102	MLT04103	MLT04104	MLT04105	MLT04106	SEMESTER GPA	REMARKS
30	NS2655/0097/2016	MLS4SE1/STJUT/20/31	B	B	B	B	B	B	3.0	PASS
31	NS1010/0015/2016	MLS4SE1/STJUT/20/32	A	A	A	B	B	B	3.5	PASS
32	NS5375/0047/2016	MLS4SE1/STJUT/20/33	B	B	B	C	B	B	2.8	PASS
33	NS0614/0017/2016	MLS4SE1/STJUT/20/34	B	A	B	C	B	B	3.1	PASS
34	NS0485/0335/2014	MLS4SE1/STJUT/20/35	A	A	A	B	B	A	3.7	PASS
35	NS0235/0027/2013	MLS4SE1/STJUT/20/36	B	A	B	C	B	B	3.1	PASS
36	NS4928/0020/2015	MLS4SE1/STJUT/20/37	A	B	B	B	B	B	3.1	PASS
37	NS5099/0009/2016	MLS4SE1/STJUT/20/38	B	A	B	C	B	B	3.1	PASS
38	NS0223/0028/2016	MLS4SE1/STJUT/20/39	A	A	B	C	B	B	3.3	PASS
39	NS4758/0016/2018	MLS4SE1/STJUT/20/40	B	A	B	C	B	B	3.1	PASS
40	NS1334/0067/2016	MLS4SE1/STJUT/20/41	B	B	B	C	B	B	2.8	PASS
41	NS5213/0020/2016	MLS4SE1/STJUT/20/42	B	A	B	B	B	B	3.2	PASS
42	NS0499/0022/2016	MLS4SE1/STJUT/20/43	B	A	B	B	B	B	3.2	PASS
43	NS0806/0016/2016	MLS4SE1/STJUT/20/44	A	A	A	B	B	A	3.7	PASS
44	NS2652/0021/2016	MLS4SE1/STJUT/20/45	B	B	B	C	B	B	2.8	PASS
45	NS0241/0037/2016	MLS4SE1/STJUT/20/47	A	A	B	B	B	B	3.4	PASS
46	NS0262/0043/2018	MLS4SE1/STJUT/20/48	F	F	F	F	F	F	NA	INCOMPLETE CA- REPEAT SEMESTER
47	NS0505/0028/2015	MLS4SE1/STJUT/20/49	A	B	B	C	C	C	2.7	PASS
48	NS1200/0052/2015	MLS4SE1/STJUT/20/50	A	B	B	B	B	A	3.3	PASS
49	NS4860/0040/2016	MLS4SE1/STJUT/20/52	A	A	B	C	B	B	3.3	PASS
50	NS1093/0082/2015	MLS4SE1/STJUT/20/51	A	A	B	B	A	B	3.5	PASS
51	NS4871/0014/2016	MLS4SE1/STJUT/20/53	B	B	B	B	C	B	2.8	PASS
52	NS0735/0193/2015	MLS4SE1/STJUT/20/55	A	A	A	B	B	A	3.7	PASS
53	NS2652/0106/2016	MLS4SE1/STJUT/20/57	A	A	A	C	B	B	3.4	PASS
54	NS0361/0174/2015	MLS4SE1/STJUT/20/56	B	B	C	C	B	C	2.5	PASS
55	NS4330/0065/2018	MLS4SE1/STJUT/20/58	B	B	B	C	B	C	2.7	PASS
56	NS4568/0007/2016	MLS4SE1/STJUT/20/59	A	B	B	C	B	B	3.0	PASS
57	NS0245/0039/2015	MLS4SE1/STJUT/20/60	B	B	B	B	B	B	3.0	PASS
58	NS0199/0013/2018	MLS4SE1/STJUT/20/61	B	B	B	C	C	B	2.7	PASS
59	NS4564/0010/2016	MLS4SE1/STJUT/20/62	B	B	A	C	B	B	3.0	PASS
60	NS1187/0069/2016	MLS4SE1/STJUT/20/63	B	B	B	B	B	A	3.1	PASS
61	NS5012/0019/2015	MLS4SE1/STJUT/20/64	B	B	B	C	B	B	2.8	PASS
62	NS4733/0054/2015	MLS4SE1/STJUT/20/65	B	B	B	D	B	C	2.6	SUPP- MLT04104
63	NS0454/0031/2016	MLS4SE1/STJUT/20/66	A	A	B	B	B	B	3.4	PASS

ST JOHN'S UNIVERSITY OF TANZANIA
SCHOOL OF NURSING
DIPLOMA IN MEDICAL LABORATORY TECHNOLOGY
PROVISIONAL UNIVERSITY EXAMINATION RESULTS
FIRST YEAR FIRST SEMESTER
2019/2020. 31/03/2020

SN	NACTE REG NO.	EXAM NO.	MLT 04101	MLT04102	MLT04103	MLT04104	MLT04105	MLT04106	SEMESTER GPA	REMARKS
64	NS4880/0027/2016	MLS4SE1/STJUT/20/67	B	B	B	C	C	B	2.7	PASS
65	NS0294/0054/2017	MLS4SE1/STJUT/20/68	B	A	A	C	C	B	3.1	PASS
66	NS1785/0037/2015	MLS4SE1/STJUT/20/69	B	B	B	C	B	B	2.8	PASS
67	NS0508/0027/2016	MLS4SE1/STJUT/20/70	B	A	B	C	B	B	3.1	PASS
68	NS5128/0043/2016	MLS4SE1/STJUT/20/71	B	A	B	C	C	B	2.9	PASS
69	NS3039/0192/2017	MLS4SE1/STJUT/20/72	A	A	A	C	B	B	3.4	PASS
70	NS0756/0070/2016	MLS4SE1/STJUT/20/73	B	B	B	B	B	C	2.8	PASS
71	NS5268/0072/2016	MLS4SE1/STJUT/20/74	B	B	B	C	B	B	2.8	PASS
72	NS0867/0141/2016	MLS4SE1/STJUT/20/75	B	A	A	B	B	B	3.3	PASS
73	NP1197/0029/2015	MLS4SE1/STJUT/20/76	B	C	C	C	B	C	2.3	PASS
74	NS2846/0093/2016	MLS4SE1/STJUT/20/77	A	A	B	B	B	B	3.4	PASS
75	NS4131/0019/2016	MLS4SE1/STJUT/20/78	A	B	B	C	B	B	3.0	PASS
76	NS2499/0047/2016	MLS4SE1/STJUT/20/79	B	B	A	C	B	B	3.0	PASS
77	NS5391/0027/2018	MLS4SE1/STJUT/20/82	B	A	A	C	B	C	3.1	PASS
78	NS4063/0052/2016	MLS4SE1/STJUT/20/81	A	A	A	B	A	B	3.7	PASS
79	NS2963/0004/2018	MLS4SE1/STJUT/20/80	B	B	B	C	B	C	2.7	PASS
80	NS4938/0081/2016	MLS4SE1/STJUT/20/83	A	A	B	B	B	B	3.4	PASS
81	NS0461/0024/2016	MLS4SE1/STJUT/20/84	C	A	B	B	B	B	3.0	PASS
82	NS0329/0109/2016	MLS4SE1/STJUT/20/85	B	B	B	B	B	B	3.0	PASS
83	NS4628/0085/2016	MLS4SE1/STJUT/20/86	A	A	A	C	B	A	3.6	PASS
84	NS0896/0181/2016	MLS4SE1/STJUT/20/87	A	A	B	C	B	B	3.3	PASS
85	NS1328/0039/2016	MLS4SE1/STJUT/20/88	A	A	A	C	B	B	3.4	PASS
86	NS4733/0078/2015	MLS4SE1/STJUT/20/89	B	B	C	C	B	C	2.5	PASS
87	NS0579/0063/2018	MLS4SE1/STJUT/20/90	B	A	B	F	C	B	NA	FAILED CA REPEAT-MLT04104
88	NS0397/0084/2018	MLS4SE1/STJUT/20/91	B	B	B	C	B	C	2.7	PASS
89	NS0306/0200/2016	MLS4SE1/STJUT/20/92	B	B	C	C	B	B	2.7	PASS
90	NS0356/0149/2016	MLS4SE1/STJUT/20/93	A	A	A	B	A	A	3.8	PASS
91	NS4208/0046/2016	MLS4SE1/STJUT/20/94	A	A	A	C	B	A	3.6	PASS
92	NS4925/0024/2016	MLS4SE1/STJUT/20/95	A	A	A	C	A	A	3.7	PASS
93	NS0586/0161/2016	MLS4SE1/STJUT/20/96	B	B	B	C	B	B	2.8	PASS
94	NS0141/0033/2016	MLS4SE1/STJUT/20/97	A	A	A	C	B	A	3.6	PASS
95	NS4472/0036/2015	MLS4SE1/STJUT/20/98	B	B	B	C	B	C	2.7	PASS
96	NS0306/0239/2015	MLS4SE1/STJUT/20/99	A	A	A	C	B	A	3.6	PASS
97	NS3153/0080/2016	MLS4SE1/STJUT/20/100	B	A	B	C	B	B	3.1	PASS

ST JOHN'S UNIVERSITY OF TANZANIA
SCHOOL OF NURSING
DIPLOMA IN MEDICAL LABORATORY TECHNOLOGY
PROVISIONAL UNIVERSITY EXAMINATION RESULTS
FIRST YEAR FIRST SEMESTER
2019/2020. 31/03/2020

SN	NACTE REG NO.	EXAM NO.	MLT 04101	MLT04102	MLT04103	MLT04104	MLT04105	MLT04106	SEMESTER GPA	REMARKS
98	NS4761/0034/2015	MLS4SE1/STJUT/20/101	B	B	C	C	B	B	2.7	PASS
99	NS2389/0032/2017	MLS4SE1/STJUT/20/102	B	B	B	C	B	C	2.7	PASS
100	NS2530/0132/2010	MLS4SE1/STJUT/20/103	B	B	C	C	B	B	2.7	PASS
101	NS3913/0099/2015	MLS4SE1/STJUT/20/104	B	A	B	C	B	B	3.1	PASS
102	NS0729/0036/2016	MLS4SE1/STJUT/20/105	A	A	A	B	B	B	3.5	PASS
103	NS0223/0080/2016	MLS4SE1/STJUT/20/106	B	A	A	B	B	B	3.3	PASS
104	NS4908/0043/2016	MLS4SE1/STJUT/20/107	B	B	B	B	B	B	3.0	PASS
105	NS0544/0140/2015	MLS4SE1/STJUT/20/108	B	A	B	C	B	B	3.1	PASS
106	NS2342/0023/2016	MLS4SE1/STJUT/20/110	B	B	B	C	C	B	2.7	PASS
107	NS0409/0064/2016	MLS4SE1/STJUT/20/109	A	B	B	C	B	B	3.0	PASS
108	NS1822/0081/2016	MLS4SE1/STJUT/20/111	B	B	B	C	B	B	2.8	PASS
109	NS4091/0018/2014	MLS4SE1/STJUT/20/112	A	A	B	B	B	B	3.4	PASS
110	NS2248/0028/2016	MLS4SE1/STJUT/20/113	B	A	B	C	B	B	3.1	PASS
111	NS4063/0068/2016	MLS4SE1/STJUT/20/115	A	A	A	C	A	B	3.6	PASS
112	NS0361/0090/2015	MLS4SE1/STJUT/20/114	B	B	B	C	B	C	2.7	PASS
113	NS2841/0109/2016	MLS4SE1/STJUT/20/116	B	B	B	C	B	B	2.8	PASS
114	NS1935/0065/2012	MLS4SE1/STJUT/20/117	A	B	B	C	B	B	3.0	PASS
115	NS4761/0021/2015	MLS4SE1/STJUT/20/29	B	B	C	C	C	C	2.4	PASS
116	NS4673/0038/2015	NS4673/0038/2015	C	B	B	B	B	B	2.8	PASS
117	NS3034/0067/2014	NS3034/0067/2014	A	C	C	C	B	C	2.5	PASS
118	NS0785/0053/2015	NS0785/0053/2015	B	B	C	C	B	C	2.5	PASS
119	NS0768/0014/2015	NS0768/0014/2015	B	C	B	C	C	C	2.3	PASS
120	NS0549/0166/2012	NS0549/0166/2012	B	C	B	C	C	C	2.3	PASS
121	NS2091/0034//2010	NS2091/0034//2010	B	B	B	C	C	C	2.5	PASS
122	NS0465/0199/2015	NS0465/0199/2015	B	B	C	C	B	C	2.5	PASS
123	NS1498/0096/2015	NS1498/0096/2015	A	C	B	C	C	C	2.4	PASS
124	NS3661/0162/2015	NS3661/0162/2015	B	B	C	C	C	C	2.4	PASS
125	NS4166/0058/2016	NS4166/0058/2016	B	B	C	C	C	C	2.4	PASS